

SANITARY SEWER
NON LOCKING COVER



3715Z STACKING
GRAY IRON OR DUCTILE IRON FRAME

NOTES:

STANDARD SPECIFICATION SECTION 9–05.15(1) AND 9–06.14

1. COVER SHALL BE AT MINIMUM 100LBS
2. MINIMUM WEIGHT OF FRAME SHALL BE 134 LBS
3. PRODUCT SUPPLIES BY EAST JORDAN IRON WORKS, OR APPROVED EQUAL
4. CITY OF WENATCHEE LOGO REQUIRED
5. FRAME AND COVER SHALL BE H–20 LOADING RATED



SECTION A-A - GREY IRON OR DUCTILE IRON
NON LOCKING COVER
MINIMUM WEIGHT 100 LBS.



STACKING DETAIL



SECTION B-B
GRAY IRON OR DUCTILE IRON FRAME
MINIMUM WEIGHT 135 LBS.

STANDARD DETAIL CIRCLE FRAME RING AND COVER DETAIL

City of Wenatchee

REVISIONS		
DATE	INITIAL	
10/03/18	DMN	
09/17/20	CAW	
01/01/2022	AJS	
03/31/2023	JTB	
03/31/2025	JTB	

SCALE: AS SHOWN	DESIGNED	DRAWN RLK	DATE DRAWN 02/21/06
	APPROVED BY	DATE APPROVED	CHECKED SK
	STANDARD SPECIFICATIONS		

DETAIL NO.
S–150